

# Briumvi® (ublituximab-xiiy) Referral Form



**Preferred Clinic** (select one):

## PATIENT INFORMATION

**Referral Status:** New Referral Updated Referral Referral Renewal

|                         |                     |                      |
|-------------------------|---------------------|----------------------|
| DOB:                    | Patient Name:       | Patient Phone:       |
| Patient Address:        | Patient Email:      |                      |
| NKDA Allergies:         | Weight (lbs/kg):    | Height:              |
| ICD-10 Code (required): | ICD-10 Description: | Last Treatment Date: |
|                         |                     | Last 4 Digits SSN:   |

## PROVIDER INFORMATION

|                                        |                             |        |           |
|----------------------------------------|-----------------------------|--------|-----------|
| Referral Coordinator Name:             | Referral Coordinator Email: |        |           |
| Ordering Provider:                     | Provider NPI:               |        |           |
| Referring Practice Name:               | Phone:                      | Fax:   |           |
| Practice Address:                      | City:                       | State: | Zip Code: |
| Physician Preferred Method of Contact: | Email:                      | Fax:   | Phone:    |

## NURSING

☒ Infusion to be administered per Vivo protocols.

## BRIUMVI THERAPY ADMINISTRATION

Initial Dosing: 150 mg IV followed by 450 mg IV two weeks later.

Maintenance Dosing: 450 mg IV 24 weeks after the first infusion and every 24 weeks thereafter.

## LABORATORY ORDERS

|       |              |             |
|-------|--------------|-------------|
| CBC   | at each dose | every _____ |
| CMP   | at each dose | every _____ |
| CRP   | at each dose | every _____ |
| OTHER | _____        |             |

*\*\*Vivo Infusion will perform pregnancy screening prior to every infusion per Vivo policy*

## REQUIRED DOCUMENTATION

### PREMEDICATIONS

acetaminophen (Tylenol) 500 mg 650 mg 1000 mg PO  
cetirizine (Zyrtec) 10mg PO  
loratadine (Claritin) 10mg PO  
diphenhydramine (Benadryl) 25 mg 50 mg PO IV  
methylprednisolone (Solu-Medrol) 40mg 125mg IV  
hydrocortisone (Solu-Cortef) 100mg IV  
Other: \_\_\_\_\_  
Dose: \_\_\_\_\_ Route: \_\_\_\_\_

### Patient Demographics

### Insurance Card/Information

### Progress Notes Supporting DX

### Current Medication List and H&P

### Quantitative Immunoglobulin

### Hep B Surface Antigen and Core AB

*\*Consider administering premedication for prophylaxis against infusion reactions and hypersensitivity reactions. \*\*Order is valid for one year unless otherwise noted\*\**

Provider Name (Print)

Provider Signature

Date

Email Referrals To: [referrals@vivoinfusion.com](mailto:referrals@vivoinfusion.com) OR Fax Below

Have a Question? Call (720) 902-4111

|                             |                          |                            |                         |
|-----------------------------|--------------------------|----------------------------|-------------------------|
| Colorado: 303-418-4679      | Michigan: 833-957-2188   | New York: 800-540-1852     | Texas: 469-340-0044     |
| Connecticut: 203-724-4838   | Minnesota: 763-290-0903  | Ohio: 216-400-0674         | Virginia: 804-500-5941  |
| Florida: 904-930-4211       | Nevada: 702-489-5744     | Oklahoma: 918-770-4421     | Wisconsin: 414-600-5383 |
| Massachusetts: 781-202-1629 | New Jersey: 609-955-3711 | Pennsylvania: 215-399-9244 |                         |

Revision Date 4/2025