

# Benlysta (belimumab) Referral Form



**Preferred Clinic** (select one):

## PATIENT INFORMATION

New Referral

Updated Referral

Referral Renewal

|                         |                     |                      |
|-------------------------|---------------------|----------------------|
| DOB:                    | Patient Name:       | Patient Phone:       |
| Patient Address:        | Patient Email:      |                      |
| NKDA Allergies:         | Weight (lbs/kg):    | Height:              |
| ICD-10 Code (required): | ICD-10 Description: | Last Treatment Date: |
|                         |                     | Last 4 Digits SSN:   |

## PROVIDER INFORMATION

|                                        |                             |        |           |
|----------------------------------------|-----------------------------|--------|-----------|
| Referral Coordinator Name:             | Referral Coordinator Email: |        |           |
| Ordering Provider:                     | Provider NPI:               |        |           |
| Referring Practice Name:               | Phone:                      | Fax:   |           |
| Practice Address:                      | City:                       | State: | Zip Code: |
| Physician Preferred Method of Contact: | Email:                      | Fax:   | Phone:    |

## STANDING ORDERS

☒ Infusion to be administered per Vivo protocols.

## LABORATORY ORDERS

CBC w/ diff every \_\_\_\_\_  
CMP every \_\_\_\_\_  
CRP every \_\_\_\_\_  
OTHER \_\_\_\_\_

*\*\*Vivo Infusion will perform pregnancy screening prior to every infusion per Vivo policy*

## PREMEDICATIONS

acetaminophen (Tylenol) 500mg 650mg 1000mg PO  
cetirizine (Zyrtec) 10mg PO  
loratadine (Claritin) 10mg PO  
diphenhydramine (Benadryl) 25mg 50mg PO IV  
methylprednisolone (Solu-Medrol) 40mg 125mg IV  
hydrocortisone (Solu-Cortef) 100mg IV  
Other: \_\_\_\_\_  
Dose: \_\_\_\_\_ Route: \_\_\_\_\_

*\*Consider administering premedication for prophylaxis against infusion reactions and hypersensitivity reactions.*

## BENLYSTA ADMINISTRATION

**Initial/Reloading Dosing and then Maintenance Dosing:** 10 mg/kg IV on 0, 2, 4 weeks and then every 4 weeks

**Maintenance Dosing Only:** 10 mg/kg IV every 4 weeks

## REQUIRED DOCUMENTATION

Patient Demographics

Insurance Card/Information

Progress Notes Supporting DX

Medication List and H&P

ANA

Provider Name (Print)

Provider Signature

Date

Email Referrals To: [referrals@vivoinfusion.com](mailto:referrals@vivoinfusion.com) OR Fax Below

Have a Question? Call (720) 902-4111

|                           |                             |                          |                            |                         |
|---------------------------|-----------------------------|--------------------------|----------------------------|-------------------------|
| Colorado: 303-418-4679    | Massachusetts: 781-202-1629 | New Jersey: 609-955-3711 | Oklahoma: 918-770-4421     | Virginia: 804-500-5941  |
| Connecticut: 203-724-4838 | Michigan: 833-957-2188      | New York: 800-540-1852   | Pennsylvania: 215-399-9244 | Wisconsin: 414-600-5383 |
| Florida: 904-930-4211     | Minnesota: 763-290-0903     | Ohio: 216-400-0674       | Texas: 469-340-0044        |                         |

**\*\*Order is valid for one year unless otherwise noted.\*\***

Revision Date 01/2026